


Thumbturn Privacy, Non-Keyed Style

Description	Product Code
Modern Plate 3 3/8" Center to Center <i>Plates are 3/8" Thick</i>	8229


Modern Plates with Round Knobs



Thumbturn Privacy, Non-Keyed Style

Description	Product Code
Delaware Plate 3 3/8" Center to Center <i>Plates are 3/8" Thick</i>	8228


Delaware Plates with Providence Crystal Knobs



Thumbturn Privacy, Non-Keyed Style


Description	Product Code
Colonial Plate 3 3/8" Center to Center Plates are 3/8" Thick	8022

Colonial Plates with Cortina Levers




Description	Product Code
Quincy Plate 3 3/8" Center to Center Plates are 3/8" Thick	8226

Quincy Plates with Egg Knobs



Description	Product Code
Belmont Plate 3 3/8" Center to Center Plates are 3/8" Thick	8224


Belmont Plates with Belmont Knobs



Thumbturn Privacy, Non-Keyed Style


Description	Product Code
Victoria Plate 3 3/8" Center to Center Plates are 1/4" Thick	8225

Victoria Plates with Elan Levers




Description	Product Code
Rope Plate 3 3/8" Center to Center Plates are 1/4" Thick	8223

Rope Plates with Rope Levers



Description	Product Code
Oval Beaded Plate 3 3/8" Center to Center Plates are 3/8" Thick	8227

Oval Beaded Plates with Georgetown Knobs



Thumbturn Privacy, Non-Keyed Style

Modern Style (8229), Delaware Style (8228), Colonial Style (8022), Quincy Style (8226), Belmont Style (8224), Victoria Style (8225), Rope Style (7211), Oval Beaded Style (8227).

- Standard Door Thickness: 1 $\frac{3}{8}$ " - 2"

Standard Components:

- Inside Passage Half Spindle
- 1" Wood Screws
- Threaded Tubes & Machine Screws
Supplied upon request for Hollow-Core Doors
- Full-Lip Strike Plate

- **Extended** Door Thickness: 2" - 3"

Extended Components:

- Long Inside Passage Half Spindle
- 1" Wood Screws
- Threaded Tubes & Machine Screws
Supplied upon request for Hollow-Core Doors
- Extended Full-Lip Strike Plate